

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1439	718/100.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/12 10:57
L2	1157	718/102.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/12 10:57
L3	0	(locks with partions) and locks.ab.	USPAT	OR	OFF	2006/01/12 10:57
L4	2626	locks with partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L5	934	locks near3 partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L6	16	(locks near3 partition) and (optimiz\$ near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L7	4	((locks near3 partition) and (optimiz\$ near3 locks)) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L8	32	(locks near3 partition) and ((requirement criteria configuration) near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L9	24	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L10	15	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929") and global and local	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L11	1	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929") and ((global and local) near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57

L12	8	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and ((creat\$3 set\$4) near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L13	4	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and ((creat\$3 set\$4) near3 locks)) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L14	0	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929") and global and local and (determin\$3 near3 petition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L15	6	(determin\$4 near4 petition) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L16	6385	determin\$4 near4 partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L17	3414	(determin\$4 near4 partition\$3) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L18	68	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L19	3	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L20	13	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L21	7	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3) and local and global	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57

L22	2	((((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3) and local and global) and (determin\$3 with method\$5 with partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L23	0	(determin\$3 with methodology with partition\$3) and locks and global and local	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L24	2	(determin\$3 with methodology with partition\$3) and locks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L25	26	((determin\$3 how) near3 partition\$3) and (modif\$6 near3 lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L26	15	((((determin\$3 how) near3 partition\$3) and (modif\$6 near3 lock\$3)) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L27	5491	(partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L28	10	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L29	0	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 petition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L30	0	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 with petition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L31	43	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57

L32	3	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 partition\$3)) and (modif\$4 near3 lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L33	724	optimiz\$3 near3 lock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L34	498	(optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L35	441	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L36	212	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L37	0	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and g06f.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L38	94	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L39	8	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.) and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L40	7	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.) and 718/1-108.ccls.) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L41	8	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.) and 718/1-108.ccls.) and code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57

L42	89	(optimiz\$3 near3 lock\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L43	5	((optimiz\$3 near3 lock\$3).ab.) and lock\$3 and partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L44	927	(optimiz\$3 and lock\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L45	26	((optimiz\$3 and lock\$3).ab.) and lock\$3 and partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L46	31	(partition\$3 and lock\$3).ab. and (contention optimiz\$6) and 7\$/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L47	10	(partition\$3 and lock\$3).ab. and (lock\$3 with (contention optimiz\$6)) and 7\$/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L48	19	((reduc\$3 minimiz\$3 optimiz\$6) near3 (contention locks)).ab. and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L49	12	((((reduc\$3 minimiz\$3 optimiz\$6) near3 (contention locks)).ab. and 718/1-108.ccls.) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L50	2	(((((reduc\$3 minimiz\$3 optimiz\$6) near3 (contention locks)).ab. and 718/1-108.ccls.) and @ad<="20000929") and partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L51	0	optimiz\$6 with partition with locks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57

L52	3	optimiz\$6 same (partition with locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L53	0	(optimiz\$6 same (partition with locks)) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L54	7	((minimiz\$6 reduc\$3 optimiz\$6) near3 contention) same (locks with partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L55	1	("5193204").PN.	USPAT; USOCR	OR	OFF	2006/01/12 10:57
L56	1	("6023753").PN.	USPAT; USOCR	OR	OFF	2006/01/12 10:57
L57	1	("6219776").PN.	USPAT; USOCR	OR	OFF	2006/01/12 10:57
L58	1	("5826081").PN.	USPAT; USOCR	OR	OFF	2006/01/12 10:57
L59	60	((performance contention) near3 lock\$4) with (acceptable threshold success\$4 allowable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:57
L60	33	L59 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L61	12	((performance contention) near3 lock\$4) with (acceptable threshold success\$4 allowable) with (determin\$4 evaluat\$4 track\$4 monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:57
L62	6	L61 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L63	1	((performance contention) near3 lock\$4) with (fail\$4 unsuccess\$4) with (repeat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:57

L64	350	lock\$4 with (fail\$4 unsuccess\$4) with (repeat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:57
L65	159	L64 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L66	107	L65 and lock\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L67	7	L66 and partition\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L68	4	lock\$4 with performance with (fail\$4 unsuccess\$4) with (repeat\$4 retry\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:57
L69	2	L68 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L70	2	(lock\$4 near3 performance) with (fail\$4 unsatisfactory unsuccess\$4) with (repeat\$4 retry\$4 return\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:57
L71	179	optimiz\$4 with lock\$3 with performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L72	22	(optimiz\$4 with lock\$3 with performance).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57

L73	9	L72 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57
L74	4	L73 and ((evaluat\$4 determin\$4 monitor\$4 track\$4) with (performance lock\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:57